

TUNTURI

SINCE 1922

TUNTURI®

SCANDINAVIAN  DESIGN

HEADQUARTERS

TUNTURI NEW FITNESS B.V.
PURMERWEG 1, 1311 XE ALMERE, THE NETHERLANDS
info@tunturiindia.com
www.tunturiindia.com



PROFESSIONAL RANGE 2026

TUNTURI®

FEEL BETTER **EVER DAY**

100+ YEARS OF FITNESS EXPERIENCE

We are Tunturi, pioneers in the world of fitness. Established in 1922, we revolutionized the industry in 1969. That year, we introduced the world's first exercise bike ergometer for home use. Fast forward to today, our assortment consists of a wide range of cardio machines, strength equipment and accessories.

TUNTURI FAMILY

We value long-term partnerships built on personal connections and trust. Joining us means becoming part of the Tunturi family, where collaboration and mutual success are at the heart of everything we do.

TABLE OF CONTENTS

PART 1
OUR STORY



PART 2
OUR COMPANY



PART 3
OUR PRODUCTS




TUNTURI

PART 1
OUR STORY

FIRST, A LITTLE BIT OF HISTORY

BECAUSE OUR STORY IS QUITE THE JOURNEY



PART 2

OUR COMPANY

MEET THE COMPANY BEHIND THE BRAND


HOW WE HELP PEOPLE FEEL BETTER EVERY DAY?
IT'S MORE THAN JUST PRODUCTS

A TEAM OF 50 PASSIONATE PEOPLE WORK IN OUR HQ IN ALMERE

WE HELP PEOPLE FEEL BETTER EVERY DAY.
THAT IS WHAT DRIVES US.

TUNTURI

SINCE 1922



STORAGE AND DISTRIBUTION

DOZENS OF TRUCKS LEAVE OUR WAREHOUSE EVERY WEEK TO DESTINATIONS ALL OVER THE WORLD

TUW



WE HAVE ALWAYS REMAINED LOYAL TO OUR ORIGINS, OUR UNIQUE DNA: THE SCANDINAVIAN TOUCH IS DEEPLY WOVEN IN OUR PRODUCT DESIGNS.

UNIQUE, COMPACT, PRACTICAL AND WITH A DISTINGUISHABLE EYE FOR DETAILS.

THIS IS PRECISELY HOW WE APPROACH OUR WORK WITH AN ADDED TOUCH OF DUTCH: DOWN-TO-EARTH AND A PRAGMATIC APPROACH.

TUW

PART 3


OUR PRODUCTS



**TIMES, CIRCUMSTANCES AND
PEOPLE CHANGE AND SO DOES
THE JOURNEY TOWARDS
A HEALTHY LIFESTYLE.**

**THEREFORE, OUR PRODUCT
PORTFOLIO NEVER STOPS
EVOLVING.**





ALWAYS VALUE FOR MONEY


WE WORK WITH A SELECT NUMBER OF CERTIFIED MANUFACTURERS TO GUARANTEE QUALITY

READY TO MEET ALL REQUIREMENTS

OUR MANUFACTURERS HAVE ALL REQUIRED ISO-CERTIFICATES

TUNTURRI

SINCE 1922



IN HOUSE QUALITY CHECK


EACH PRODUCT IS CAREFULLY CHECKED BY THE QUALITY CONTROL DEPARTMENT



RUNNING THE EXTRA MILE

ADDITIONALLY, EVERY CARDIO MACHINE IS INSPECTED BY AN ACCREDITED LAB

TUNTURI



THAT IS WHY WE OFFER EXCELLENT WARRANTY TERMS

NOT JUST ON THE PRODUCT, BUT ALSO ON SPECIFIC PARTS LIKE FRAMES AND DRIVE MOTORS



WE HAVE DISTRIBUTORS IN OVER 50 COUNTRIES

FROM THE US TO AUSTRALIA, WITH A STRONG MARKET POSITION IN EUROPE

TUNIVURI

SINCE **1922**

MARATHON

TREADMILL

PROGRAMS
 6 REAL VIRTUAL MODE
 3 TARGET MODE
 5 TRAINING MODE
 HRC MODE

COMPATIBLE APPS
 (ANDRIOD / IOS):
 KINOMAP / ZWIFT / SPAX

SPEED : 0.5~25 KMPH

100 MM INDUSTRIAL ROLLER
 RUNNING AREA 24"x64"
 2.2MM HEAVY COMMERCIAL GRADE BELT

27" CURVED TFT (HD) DISPLAY WINDOW

LARGE SIZED TWIN CUP
 HOLDER WITH A BUILT IN TRAY

INDUSTRIAL GRADE MOTOR
 5HP AC CONTINUOUS (10HP PEAK)



25 LEVEL INCLINE
 (0~20%)

EXTRA HEAVY DUTY STEEL BASE
 WITH ALUMINIUM SIDE RAIL

MAXIMUM USER WEIGHT : 200 KGS.



27" CURVED TFT (HD) DISPLAY WINDOW

10.1" TFT CONTROL PANEL

COMES WITH
 WIRELESS CHARGING
 USB / AUDIO INPUT
 SPEAKERS
 WIRELESS HEART RATE RECEIVER



ENDURANCE

TREADMILL



CENTURY RUN

TREADMILL

PROGRAMS

- 6 PRESET
- 3 TARGET MODE
- 5 TRAINING MODE
- HRC MODE

COMPATIBLE APPS

KINOMAP / ZWIFT / SPAX

23.8" LED DISPLAY WINDOW

LARGE SIZED TWIN CUP HOLDER WITH A BUILT IN TRAY

INDUSTRIAL GRADE MOTOR
5HP AC CONTINUOUS (10HP PEAK)



32 LEVEL INCLINE
(-3~15%)

100 MM INDUSTRIAL ROLLER
RUNNING AREA 23" x 61"
2.2MM HEAVY COMMERCIAL GRADE BELT

EXTRA HEAVY DUTY STEEL BASE
WITH ALUMINIUM SIDE RAIL

MAXIMUM USER WEIGHT : 200 KGS



SPEED: 0.8~22 KMPH

23.8" LED DISPLAY WINDOW

PIANO STYLE UNIQUE
STAINLESS STEEL BUTTONS

- COMES WITH
- WIRELESS CHARGING
- USB / AUDIO INPUT
- SPEAKERS
- WIRELESS HEART RATE RECEIVER



TR-40

SLATMILL



SPEED : 1~22 KMPH

EXTRE WIDE AND LONG RUNNING SURFACE
22" x 63"



- SLED RESISTANCE TRAINING FROM 5 TO 36 SECTIONS CONTROL
- MANUAL RUNNING WITHOUT RESISTANCE
- UNDER MANUAL RUNNING MODE, SLOPE ANGLE CAN BE ADJUSTED BY POWER ELEVATION
- DIFFERENT FUNCTIONS TO CHOOSE FROM : WARM-UP, RUNNING, COOL DOWN & RELAX.

- PROGRAMS :**
- 1 QUICK START
 - 1 BODY FAT / BMI
 - 3 USER
 - 36 PRESET
- APPS (ANDROID / IOS) :**
- KINOMAP / ZWIFT

TR-20

TREADMILL



10 INCH LCD DISPLAY WITH TRAINING PARAMETERS, TABLET HOLDER AND DIRECT BLUETOOTH CONNECTION

EXTRA CONTROL PANEL

FIRM AND SOFT SIDE SUPPORTS

SPEED : 1~20 KMPH

INDUSTRIAL GRADE MOTOR 4HP AC CONTINUOUS (8HP PEAK)



SIDE LANDINGS MADE OF STRONG AND DURABLE ALUMINIUM

EXTRA WIDE AND LONG RUNNING SURFACE 22" x 62"

0 ~ 15% INCLINE

HEAVY TRANSPORT WHEELS

6-PIECE CUSHIONING SYSTEM MINIMISES THE IMPACT ON KNEES AND JOINTS

MAXIMUM USER WEIGHT : 165 KGS.

EXTRA THICK 2.2 MM DIAMOND RUNNING BELT.



- PROGRAMS :**
 - 1 QUICK START
 - 1 TIME, DISTANCE & CALORIE
 - 1 BODY FAT / BMI
 - 3 USER
 - 36 PRESET
- APPS (ANDROID / IOS) :**
 - TUNTURI ROUTES / KINOMAP / ZWIFT

TA-15

TREADMILL



SPEED : 1~22 KMPH



PROGRAMS :
36 PRE-SET
1 MANUAL
3 USER'S MANUAL

TR-10

CURVE TREADMILL



- PROGRAMS :**
- 1 TIME TARGET
 - 1 DISTANCE TARGET
 - 1 CALORIE TARGET
 - 3 HEART RATE TARGET
- APPS (ANDROID / IOS) :**
- KINOMAP / ZWIFT

GLIDER

ELLIPTICAL TRAINER





15.6" TFT TOUCH SCREEN.
SUPPORTS WI-FI CONNECTION
& WEB BROWSING.

COMES WITH MOBILE PHONE HOLDER
WITH WIRELESS CHARGER.

RESISTANCE : MAGNETRON RESISTANCE SYSTEM
RESISTANCE LEVEL : 32 LEVELS

FLYWHEEL : EMS 400W

21" STRIDE LENGTH &
3 PCS CRANK ARM.

MAXIMUM USER WEIGHT : 180 KGS.



15.6" MULTI WINDOW LED DOT MATRIX.
VARIOUS MOTIVATING PROGRAMS

COMES WITH MOBILE PHONE HOLDER

RESISTANCE : MAGNETRON RESISTANCE SYSTEM
RESISTANCE LEVEL : 32 LEVELS

Flywheel : 250W

21" STRIDE LENGTH &
3 PCS CRANK ARM.

MAXIMUM USER WEIGHT : 180 KGS.



USER-FRIENDLY CONSOLE WITH KEYPAD AND SCROLLING LED WINDOW, MULTIPLE WORKOUT PROGRAMS AND UNIQUE HEART RATE ZONE PROGRAMS

CONTOURED AND VENTILATED MESH SEAT BACK FOR IMPROVED COMFORT AND ENHANCED AIR FLOW

FOLDED ARM REST PROVIDE USERS WITH MORE COMFORTABLE USE EXPERIENCE

WRAP-AROUND (COLORED) SEAT ADJUSTMENT HANDLE FOR QUICK AND EASY SEAT ADJUSTMENTS.

SEAT CAN BE ADJUSTED BACKWARD & FORWARD

PERFORATED BACKREST ANGLE CAN BE ADJUSTED AS PER USER'S COMFORT REQUIREMENT

EASY TO SERVICE SHROUD DESIGN ALLOWS FOR CONVENIENT MAINTENANCE

STEP-THROUGH DESIGN ALLOWS USERS TO STEP ON AND OFF BIKE EASILY

MAXIMUM USER WEIGHT : 160 KGS.



USER-FRIENDLY CONSOLE WITH KEYPAD AND SCROLLING LED WINDOW, MULTIPLE WORKOUT PROGRAMS AND UNIQUE HEART RATE ZONE PROGRAMS

MULTIPLE RIDING GRIP POSITIONS ARE FITTED WITH TWO SETS OF HEART-RATE RECEPTION WHICH PROVIDES USERS DIFFERENT WORKOUT EXPERIENCE

EASY TO SERVICE SHROUD DESIGN ALLOWS FOR CONVENIENT MAINTENANCE

ERGONOMIC SINGLE-HAND SEAT ADJUSTMENT MAKES EASY TO FIND THE RIGHT POSITION

MAXIMUM USER WEIGHT : 160 KGS.

Features

CHROME PLATED 2-STAGE FIXED-BAR WITH BRANDS NEW ERGONOMIC DESIGN.
 ALL NEW ALUMINUM ALLOY ADJUSTABLE STEMS AND SLIDERS THAT AVOIDS RUST PROBLEM.
 MICRO-ADJUSTABLE HANDLEBAR AND SADDLE.
 HIGH RIGIDITY 3 PIECES CRANK.



CONSOLE DISPLAY
 RPM
 SPEED
 TIME
 DISTANCE
 CALORIES

RESISTANCE :
 FRICTION RESISTANCE SYSTEM

TRANSMISSION :
 4PK HUTCHINSON POLY-V BELT DRIVEN SYSTEM

FLYWHEEL :
 18KGS / 40 LBS

MAXIMUM USER WEIGHT : 160 KGS.



DUAL ACTION HANDLE BAR

ADJUSTABLE GEL SEAT CUSHION

AIR RESISTANCE SYSTEM WITH
 V BELT TRANSMISSION



LCD CONSOLE WITH MULTIPLE
 DATA READOUT AND PROGRAMS

HIGH MOMENTUM FAN WHEEL SYSTEM

MAXIMUM USER WEIGHT : 160 KGS.

GLADIATOR

AIR ROWER

STEPMILL

i-TRAINER



MAXIMUM USER WEIGHT : 180 KGS.



LCD DISPLAY WITH BLUE BACKLIT & MULTIPLE DATA READOUT AND PROGRAMS



COMES WITH
TOUCH SCREEN TFT PANEL
VIRTUAL TRAINING EXPERIENCE
MULTIPLE PROGRAMS
20 RESISTANCE LEVEL
SPEED 25-158 STEPS / MIN

ERGONOMIC DESIGN OF STEP WITH :
LENGTH OF 559 MM.
WIDTH OF 254 MM
HEIGHT OF 202 MM.

EQUIPPED WITH INFRARED SENSOR
SWITCH TO PROVIDE DOUBLE PROTECTION.

THE FOOT PEDALS
ON BOTH SIDES,
WHICH IS EASY TO USE.

By training **more** muscle groups & creating **greater** activation within those muscles, Helix® burns **more fat** and delivers **faster results** in less time than any other cardio trainer, making it the world's most effective workout.

But lateral training has major benefits beyond fitness as well. As the only cardio trainer that works the body in **all 3 dimensions of human motion**, lateral trainers have been clinically shown to reduce knee & hip pain due to arthritis, injury or joint replacement surgeries.* They are also effective at **reducing age-related fall risk**, having been clinically shown to improve strength-related balance by an average 59%.***

Eco friendly & ideal for small spaces: tiny footprint + no electricity needed

Because of these competitive advantages, Helix® trainers are used by some of **the world's most elite pro athletes**, such as the Los Angeles Lakers, the New England Patriots & the Cleveland Cavaliers, yet their *therapeutic* applications make them equally well suited for injury rehab and prevention for those in search of **"active aging."**



*2022 clinical study
California State Univ
Long Beach

**2011 clinical study
Human Performance Research
Lab, University of Tampa

***2015 side step study

Increased Muscle Activation:


Helix® lateral trainers reach target heart rates more quickly & produce increased muscle activity when compared to "traditional" cardio like ellipticals.**

Vastus Lateralis:	50% more
Adductors:	42% more
Gluteus Maximus:	39% more
Gluteus Medius:	33% more
Obliques:	55% more
Rectus Abdominis:	13% more
Spinal Erectors:	11% more
Target ♥ Rates:	23% faster

FEATURES

- **Resistance Levels:**
8 manually controlled
- **Computer Display:**
LCD
- **Feedback:**
Real time calories, RPM, pulse, activity, METS, watts and time
- **Resistance Method:**
ECB Flywheel
- **Maximum User Weight:**
150 kg

Traditional Cardio




Bi-directional to shift workout focus. Pedal in for extra focus on inner thighs & glutes, pedal out for extra focus on outer thighs, glutes & hips.

Cardio that delivers strength training caliber results

Improves joint health over time

Used by PTs to rehab bad knees





**TRAIN
WHERE
YOU FEEL
THE BEST**

Aircraft spec 5mm American LOOS cable with 4,200 lbs breaking strength. All fittings tested for 300,000 cycles using full weight stack.

Strong ABS shroud for maximum safety and super stylish look.

Unique tube size of RT40*118*3 RT50*100*2.5 YD72.8*141.7*3



Pu moulded seats and long lasting upholstery

Multi handle grips for various workout requirements

Tubing thickness range from 2.5mm to 3mm. Electro-welded construction for maximum strength and stability

Pulley size of $\phi 114$ makes the movement of cable very smooth.

SL-9501 CHEST PRESS

Pre-stretch allows easy entry and exit, and increase the range of motion

The 3-bar linkage structure offers smooth, convenient adjustment

Multi-position handle bars allow variety workout

Double parallel grips replicates chest fly movement effectively

WEIGHT STACK : 235 LBS

LXWXH : 155.2X123.1X150.3 CM



SL-9502 DIVERGING LAT PULLDOWN

Uniaxial structural movement ensures complete & efficient muscle workout.

Aluminum casting handles stand for the premium positioning.

Adjustable foam roller offers supports during workout for users at various height.

WEIGHT STACK : 235 LBS

LXWXH : 130.5X122.4X109 CM



SL-9503 ARM CURL



Ergonomic handle bar is self-adaptive to meet various users requirements

User-friendly design allows easy entry and exit.

Independent arm motion structure allows exercise simultaneously or alternately.

WEIGHT STACK : 200 LBS

LXWXH : 112.2X158.3X156.3 CM



SL-9505 LEG EXTENSION



Back support pad allows one-hand adjustment. Under thigh support designed to offers comfort and reduces stress on hamstrings during workout

Adjustable foam roller and back support pad allows users at different height for a desired position

Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK : 200 LBS

LXWXH : 140.1X122.7X156.3 CM



SL-9506 SEATED LEG CURL

Adjustable foam roller is designed to adapt the natural movement required by various users

Back pad support is adjustable in a sitting position

Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK : 200 LBS

LXWXH : 149.5X127.5X156.3 CM



SL-9508 ABDUCTOR / ADDUCTOR

Dual station designed to train outer and inner thigh muscles

User-friendly design allows easy entry and exit. Weight stack in front is for privacy purpose.

The double foot platform accommodates various users

Large size pads insure comfortable support for various users

Easily adjustable starting position offers wide range of motion

WEIGHT STACK : 200 LBS

LXWXH : 78.4X163.6X156.3 CM



SL-9509 TOTAL HIP



Adjustable foam roller provide a personalized fit for isolateral training


Various workout for hip

Handle bars on sides provide user stabilization and support

Adjustable platform suitable for various users

WEIGHT STACK : 200 LBS

LXWXH : 97.2X138.1X156.4 CM



SL-9510 LEG PRESS / CALF RAISE

Foot platform and handle bar for easy entry and exit

Adjustable sliding rack accommodates various users for a ideal range of motion

Foot plate angled at unique 4° recline to save ankles and knees from injury

WEIGHT STACK : 295 LBS

LXWXH : 181.3X117.6X156.2 CM



SL-9512 SHOULDER PRESS

Independent converging movement offers natural and ergonomic workout

Counter weight enables user to start easily

Multiple grips allow to target front and middle deltoids effectively

WEIGHT STACK : 235 LBS

LXWXH : 155X149X156.4 CM



SL-9515 PEC FLY / REAR DELT

Dual station designed to train chest and rear deltoid muscles.

Option of multiple starting positions to meet various users training requirement

Variable circular motion can be achieved as required by various users

WEIGHT STACK : 200 LBS

LXWXH : 149.7X162.9X204.8 CM



SL-9516 STANDING CALF RAISE

To train calf muscles in standing position, provide a better training effect by combining user self-weight

Adjustable starting position enables user get into the machine in standing position without the need to bend down

Contoured shoulder pads are designed to give comfortable experience

Anti-slip footrests provide comfort and safety

WEIGHT STACK : 235 LBS

LXWXH : 119.2X119.7X175 CM



SL-9517 SEATED DIP

Rotating handles accommodate various users

Angled back support improves stability and comfort

WEIGHT STACK : 200 LBS

LXWXH : 142.8X130X156.4 CM



SL-9519 VERTICAL ROW

Independent arm movement allows isolation of back muscles separately

Foot pedals are positioned to give comfortable posture for various user

Uniquely designed handle grips provide are firm and solid grip

WEIGHT STACK : 235 LBS

LXWXH : 198.4X112.9X156.3 CM



SL-9520 WEIGHT ASSISTED CHIN / DIP COMBO

Dual station designed to give isolation to your complete upper back with weight assisted support

Multi-positional hand grips enables various users to perform triceps and chest dips effectively

WEIGHT STACK : 200 LBS

LXWXH : 139.4X160.8X228.5 CM



SL-9521 PRONE LEG CURL

Angled seat pad is designed to give support to core and spinal column, while stabilizing the hip

Pivot mark in yellow allows users to get correct exercise position.

WEIGHT STACK : 200 LBS

LXWXH : 118.5X144.3X156.3 CM



SL-9522 LAT PULLDOWN / SEATED ROW

Dual station designed to give training of vertical row and lat pulldown

Adjustable knee rollers suitable for various users

Large size foot plates for added comfort

Comes with two handles for variation

WEIGHT STACK : 295 LBS

LXWXH : 122.3X193.6X223.1 CM



SL-9524 LATERAL RAISE

Natural movement of rotating hand grips adapts to different size users

The Large arm pads for increased support

WEIGHT STACK : 200 LBS

LXWXH : 109.8X128.4X156.4 CM



SL-9525 ADJUSTABLE HI / LO PULLEY

Multiple training unit for working out upper and lower limbs comprehensively.

Compatible to attach with SL9527 four station and make it 5 station cable jungle with cable crossover

WEIGHT STACK : 295 LBS

LXWXH : 148.2X118.7X235.6 CM



SL-9527 JUNGLE MULTI GYM

Unique combination of 4 to be must stations in every facility.

Lat pulldown, Long pull, Pec fly / Rear delt & Hi - Lo pulley would cater to most of the upper body exercises

Compatible to attach with SL9525 hi-lo pulley and make it 5 station cable jungle with cable crossover

WEIGHT STACK : 235 X 4 LBS

LXWXH : 348.8X264.6X235 CM



SL-9525+SL9527OPT+SL9527 5 STATION CABLE CROSS OVER



WEIGHT STACK : 235 X 4 LBS

WEIGHT STACK : 295 LBS

SL-9527 OPT



CONNECTOR

Robust & strong built with multiple chin up handles

SL-9528 LEG EXT / LEG CURL


Dual station designed to give movements of leg curl and leg extension.

Back pad could be easily adjusted.

Pivot mark in yellow allows users to determine correct position for knees

WEIGHT STACK : 235 LBS

LXWXH : 135.1X131.9X156.3 CM



SL-9529 MULTI PRESS

Dual station designed to give movement of chest press, incline press and shoulder press.

Dual hand gripes accommodate different size users

WEIGHT STACK : 235 LBS

LXWXH : 182.7X147.7X167.2 CM



SL-9530 DUAL ADJUSTABLE PULLEY


Dual adjustable pulleys are designed to give the possibility of performing three dozen exercises.

Ergonomically designed multiple chin up handles

Comes with standard pack of six various accessories

WEIGHT STACK : 200 X 2 LBS

LXWXH : 159.8X128.4X229.1 CM



SL-9534 ABDOMINAL / BACK EXTENSION

Dual station designed to train abdominal and lower back muscles

Double position foot pedals to accommodate various size users

Angled back support to save lower back from injuries

WEIGHT STACK : 235 LBS

LXWXH : 111.2X126.4X156.7 CM



SL-9538 HIP THRUST

Wide foot plate of 83cm x 50 cm covered with Anti-Slip rubber sleeve accommodates users of different heights and safety against slipping incidents

Toe Stopper at the top of foot plate for safeguarding any injurious mishaps

Soft material safety belt for enhanced comfort

Open design of safety belt combined with auxiliary on-board cushion, for easy entry and exit off the machine

Dynamic backrest moves with the motion during training provides full range of motion with added comfort

Weight Stack: 200 lbs

LxWxH : 149X123X156 CM



SL-9539 HORIZONTAL LEG PRESS / HACK SQUAT

Robust Frame for stability which must for a leg press

Unique adjustable back allows choosing between seated leg press or hack squat positions

Foot platform and handle bars for easy entry and exit

Superior quality shoulder pads for added comfort

Foot platform angled at 4 degrees recline which helps in saving ankles and knees from injury

Weight Stack 295 lbs.

LxWxH: 183.5 x 117.5 x 155.8 cm



STERLING SERIES

Easy to use, neat appearance, the SL line is a high quality commercial plate loaded series. The user-friendly design makes working out more simple, efficient, comfortable and satisfying.

Tubing: thickness range from 2.5 mm to 3mm, 50mmx100mm tubing, electro-welded to maximum integrity.

Color: black and red (Other colors are optional based on customer requirements)

Finish: Electrostatic powder-coated and heat cured after adhesiveness enhancement pre-treatment for superior durability



Compact - space efficient design requires minimal floor space.

Pad total thickness is 70mm.

Easy-to-use, flexible adjustments allow for optimal exercise positions.



SL7001 CHEST PRESS

- LXWXH : 193.7X137X171 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs



SL7003 SHOULDER PRESS

- LXWXH : 155.8X181.8X148.7 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs

SL7002 PULL DOWN

- LXWXH : 148.2X148.9X196.7 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs



SL7004 LOW ROW

- LXWXH : 176.1X148.7X165.2 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.

SL7005 INCLINE CHEST PRESS

- LXWXH : 190X152.3X177.9 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.



SL7006 LEG PRESS

- LXWXH : 222.6X142.1X141.9 CM.
- MAX WEIGHT CAPACITY:400Kg/880Lbs.



SL7009 OLYMPIC POWER RACK

- LXWXH: 203X145X228 CM



SL7007 ROW

- LXWXH : 181.5X150X133.4 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.



SL7008 REAR KICK

- LXWXH : 168X122.9X163.6 CM.
- MAX WEIGHT CAPACITY:150Kg/330Lbs.



SL7010 PLATE RACK

- LXWXH : 135X67X135 CM.



SL7011 FLAT BENCH

- LXWXH : 135X67X135 CM.

SL7013
GLUTE HAM BENCH

- LXWXH: 156X91X147 CM.



SL7014
HALF RACK

- LXWXH : 139X175X244 CM.



SL7018
ARM CURL

- LXWXH : 114X86X102 CM



SL7019
INCLINE ROW

- LXWXH : 196 X 102 X 125.3 (CM)
- Maximum Weight Capacity : 150kg / 330 LBS



SL7017
SEATED CALF RAISE
• LXWXH: 147.5X76.5X84.5 CM.
• MAX WEIGHT CAPACITY: 150 KG/330 LBS



SL7020
45 DEGREE LEG PRESS
• LXWXH: 249.9X187.9X154.4 CM.
• MAX WEIGHT CAPACITY:450Kg/990Lbs.



SL7021
HACK SQUAT
• LXWXH:220.5x188x128.5 CM
• MAX WEIGHT CAPACITY:400Kg/880Lbs

SL7022 UTILITY BENCH

- LXWXH : 119.1X63X82.2 CM.



SL7023 BICEP CURL

- LXWXH : 152.4X108.8X116.9 CM.
- MAX WEIGHT CAPACITY:300Kg/660Lbs.



SL7026 STANDING LEG CURL

- LXWXH: 140.3X104.5X120 CM
- MAX WEIGHT CAPACITY: 120 KG/264 LBS



SL7027 BARBELL RACK

- LXWXH : 95X91X161.2 CM



SL7024 TRICEP DIP

- LXWXH: 173.3X158X120.2 CM.
- MAX WEIGHT CAPACITY: 300 KG/660 LBS



SL7025 LEG EXTENSION

- LXWXH: 127X169X100.5 CM.
- MAX WEIGHT CAPACITY: 300 KG/660 LBS



SL7028 FLAT BENCH PRESS

- LXWXH: 191X173.8X131.5 CM



SL7029 INCLINE BENCH PRESS

- LXWXH: 205.9X173.8X149.6 CM

SL7030
DECLINE BENCH PRESS

• LXWXH: 218.8X173.8X131.5 CM



SL7031
SHOULDER BENCH PRESS

• LXWXH : 171.9X126.1X192 CM



SL7035
FLAT BENCH

• LXWXH: 226X126X180 CM
• MAX WEIGHT CAPACITY: 400 KG/880 LBS



SL7036
ABDOMINAL

• LXWXH: 140X104.5X173 CM
• MAX WEIGHT CAPACITY: 300 KG/660 LBS



SL7032
STANDING CALF RAISE

• LXWXH: 161.5X137.5X173 CM
• MAX WEIGHT CAPACITY: 300 KG/660 LBS



SL7034
SQUAT

• LXWXH: 226X126X180 CM
• MAX WEIGHT CAPACITY: 400 KG/880 LBS



SL7041
SUPER OLYMPIC BENCH

• LXWXH : 191X173.8X131.5 CM



SL7043
MULTI AB BENCH

• LXWXH : 172X63X91 CM

SL7042
MAGIC RACK / SMITH MACHINE

• LXWXH : 232X224X239 CM



SL7046
ISO-LATERAL SUPER
CHEST PRESS

• LXWXH : 250X174X162 CM



SL7044
STRETCH MACHINE

• LXWXH : 157X63X126 CM



SL7045
VERTICAL KNEE RAISE / DIP STAND

• LXWXH : 119X77X136 CM



SL7047
HYPER EXTENSION BENCH

• LXWXH : 134X95X77 CM



PA 6001

HORIZONTAL CHEST / TRICEP PRESS

- LXWXH : 230X154X147 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6002

VERTICAL CHEST PRESS

- LXWXH : 198X156X146 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6003 SHOULDER PRESS

- LXWXH : 210X142X152 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6004 SEATED ROW

- LXWXH : 190X156X146 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6005 T-BAR ROW

- LXWXH : 161X156X146 CM
- MAX WEIGHT CAPACITY:200Kg/440Lbs



PA 6006 ALTERNATE PREACHER CURL

- LXWXH : 121X171X176 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6007 FRENCH PRESS

- LXWXH : 205X151X146 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6008 PULLOVER MACHINE

- LXWXH : 217X154X150 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6009

CIRCULAR LAT PULL DOWN

- LXWXH : 166X156X218 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6010

PENDULUM SQUAT

- LXWXH : 213X153X178 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6011 HIP THRUST

- LXWXH : 222X154X153 CM
- MAX WEIGHT CAPACITY:200Kg/440Lbs



PA 6012 POWER ROW

- LXWXH : 159X153X177 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6013

INCLINE CHEST PRESS

- LXWXH : 190X153X179 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



PA 6014

HIGH ROW

- LXWXH : 201X153X214 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs



TM 01

ISO LATERAL INCLINE CHEST PRESS

- LXWXH : 220X190X165 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 02

ISO LATERAL FLAT CHEST PRESS

- LXWXH : 200X135X190 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 03

ISO LATERAL SHOULDER PRESS

- LXWXH : 220X153X165 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 04

POWER ROW

- LXWXH : 210X185X170 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 07

ISO LATERAL ROW

- LXWXH : 128X193X155 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 08

LAT PULL DOWN

- LXWXH : 200X210X165 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 09

PRONE LEG CURL

- LXWXH : 167X143X127 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 10

SEATED LEG CURL

- LXWXH : 167X146X127 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 11

ISO LATERAL LEG EXTENSION

- LXWXH : 175X186X127 CM
- MAX WEIGHT CAPACITY:300Kg/660Lbs

TriMotion™



TM 15

ISO LATERAL BICEP CURL

- LXWXH : 156X207X121 CM
- MAX WEIGHT CAPACITY:200Kg/440Lbs

TriMotion™



EVO-9025 CABLE CROSSOVER

- LXWXH : 440X105X236 CM.
- Weight stack : 240 LBS X 2.



EVO-9030 FUNCTIONAL TRAINER

- LXWXH: 162X155X235 CM
- WEIGHT STACK : 210 X 2 LBS



EVO-8001
SMITH MACHINE

• LXWXH : 109X218X232 CM



EVO-8002
PREACHER CURL BENCH

• LXWXH : 132X84X97 CM



EVO-8009
FLAT BENCH

• LXWXH : 135X76X43 CM



EVO-8010
VERTICAL KNEE RAISE / DIP STAND

• LXWXH : 127X71X160 CM



EVO-8005
SEATED CALF

• LXWXH : 123X66X84 CM



EVO-8007
BACK EXTENSION

• LXWXH : 122X86X96 CM



EVO-8011
UTILITY BENCH

• LXWXH : 117X76X82 CM



EVO-8013
ADJUSTABLE DECLINE BENCH

• LXWXH : 162X76X81 CM



EVO-8014
OLYMPIC FLAT BENCH

• LXWXH : 173X178X122 CM



EVO-8015
OLYMPIC INCLINE BENCH

• LXWXH : 201X178X140 CM



EVO-8022
SUPER BENCH

• LXWXH : 162X76X81 CM



EVO-8023
ANGLED LEG PRESS

• LXWXH : 209X140X142 CM



EVO-8016
OLYMPIC DECLINE BENCH

• LXWXH : 206X178X109 CM



EVO-8019
INCLINE LEVEL ROW

• LXWXH : 185X79X119 CM



EVO-8024
HACK SQUAT

• LXWXH : 204X163X122 CM



EVO-8025
BARBELL RACK

• LXWXH : 97X76X145 CM



FREE WEIGHTS

WEIGHT PLATES

Made from high quality thermoplastic polyurethane (TPU) resistant to oil, grease & abrasion. With high shear strength for long lasting usage

AVAILABLE SIZES IN KGS :

1.25	2.5	5	7.5	10	15	20	25
------	-----	---	-----	----	----	----	----



DUMBBELLS

Made from high quality thermoplastic polyurethane (TPU) resistant to oil, grease & abrasion. With high shear strength for long lasting usage

Knurled bar for solid grip and feel

AVAILABLE SIZES IN KGS :

2.5	5	7.5	10	12.5	15	17.5	20	22.5
25	27.5	30	35	40	45	50	55	60



FREE WEIGHTS

BEAUTY BARBELLS

Made from high quality casting polyurethane which is resistant to oil, grease & abrasion. With higher shear strength for long lasting usage. Comes in both straight & curl handle bar.

AVAILABLE SIZES IN KGS :

10	15	20	25	30	35	40
----	----	----	----	----	----	----



COMPETITION BUMPER PLATES

Made of hard-wearing virgin rubber fitted with galvanised steel fixed hub

AVAILABLE SIZES IN KGS :

5	10	15	20	25
---	----	----	----	----

